

Benelux Enduser Pricelist

Printing Solutions for you



Colour Laser



Mono Laser



MFP



SIDM



Fax



OKI
PRINTING SOLUTIONS

[HOME](#) [PRINT ADVICE](#) [PRODUCTS](#) [WHERE TO BUY](#) [SUPPORT](#)

[Company overview](#) [Press centre](#)

» **TEMPLATE MANAGER 2006**
Design, edit and print with this user friendly software

» **C8600 - THE little BIG OKI**

» **Products**

- » Multifunction Products
- » Colour Printers
- » Mono Printers
- » Fax
- » Dot Matrix Printers

» **Support**

For support, drivers, FAQs, software, user manuals, Ask OKI and more ..

Please select product

- » Drivers
- » Utilities
- » On-line Registration

» **Consumables**

How to find our Original toner cartridges ..

- » Consumables
- » Consumables Recycling Program

Find out about our printers and ideas for printing banners, posters and more ..

- » Drivers
- » Consumables
- » 3 Year Warranty - REGISTER HERE!
- » OKI Pricelist

Which printing solution is for you?

Benefit from our award-winning range of printing solutions [» See all](#)

'Look What You Can Do'

'Look What You Can Do' is a practical guide to helping Small and Medium Sized Enterprises (SMEs) build their business through marketing communications. This ... [» See all](#)

- » Look What You Can Do! (PDF)
- » Getting Started
- » Creative tips
- » Creating Direct mail

Quick Links

- » How fast is fast? Speed trial between OKI C3400n, HP LJ2605 and Konica Minolta 2400w
- » OKI C3530MFP 1st place in colour MFP test

Ok! Partner Net

- » Dealers / Resellers

Our Website, Direct Access To:

Product information

Support, Do More, Print advice

Where To Buy

Product Registration



OKI
PRINTING SOLUTIONS

3

**years
warranty
onsite**

www.okiprintingsolutions.be - www.okiprintingsolutions.nl



de beste service, voor u, van oki

GRATIS 3 jaar on-site garantie op alle Oki producten die vanaf 1 april 2004 in België, Nederland en Luxemburg zijn gekocht en on-line zijn geregistreerd!

Registreer nu direct on-line op www.okiprintingsolutions.be of www.okiprintingsolutions.nl en profiteer direct van:

- 1.3 jaar garantie**
- 2.on-site service**
- 3.next day service**

oki vous offre son meilleur service

GRATUIT : 3 ans de garantie sur site sur tous les appareils OKI, achetés à partir du 1er avril 2004 en Belgique, Pays-Bas ou au Luxembourg et enregistrés via notre site web !

Enregistrez votre produit maintenant sur www.okiprintingsolutions.be ou www.okiprintingsolutions.nl et profitez directement de :

- 1. 3 ans de garantie**
- 2. service sur site**
- 3. service next day**

voorwaarden

- De 3 jaar on-site garantie is geldig op alle vanaf 1 april 2004 in België, Nederlanden Luxemburg gekochte Oki- producten.
- De 3 jaar on-site garantie is alleen geldig voor on-line geregistreerde producten, binnen de maand na aankoop. Registreren kan op www.okiprintingsolutions.be of www.okiprintingsolutions.nl en neemt circa 5 minuten in beslag.
- De looptijd en daarmee uw garantiedekking gaat in op de aankoopdatum van de printer, fax of multifunctional. Deze datum dient te zijn vermeld op het aankoopbewijs. Het aankoopbewijs kan zijn een factuur, bon of koopovereenkomst, voorzien van een datum en leveranciersgegevens en/of bedrijfsstempel. In geval van een on-site call dient een aankoopbewijs overlegd te kunnen worden.
- De garantiewerkzaamheden omvatten het opsporen en verhelpen van storingen. De installatie en (preventieve) onderhoudswerkzaamheden zijn geen onderdeel van deze garantie. Ook storingen veroorzaakt door misbruik of onjuist gebruik van het product of het gebruik van niet-originele Oki verbruiksmaterialen vallen buiten de garantie.
- De 3 jaar on-site garantie omvat voorrijkosten, onderdelen, arbeidsloon en vervangende apparatuur. Verbruiksmaterialen, door de gebruiker te verwisselen onderdelen en eventuele extra aangekochte niet-OkI opties zijn geen onderdeel van deze garantie.
- Oki zal altijd zo spoedig als mogelijk de garantiediensten verlenen. Oki wordt inzake de garantiediensten op locatie vertegenwoordigd door een geautoriseerde servicepartner.
- Tenzij anders overeengekomen, vindt de serviceverlening plaats op werkdagen van maandag tot en met vrijdag tijdens kantoor tijden van 08.30 uur tot 17.00 uur, exclusief de algemeen erkende feestdagen.

conditions

- La garantie 3 ans sur site est valable à partir du 1er avril 2004 pour tout produit OKI acheté en Belgique, Pays-Bas et au Luxembourg.
- La garantie 3 ans sur site n'est valable que pour les produits enregistrés endéans le mois d'achat de l'appareil. Veuillez enregistrer votre produit via www.okiprintingsolutions.be ou www.okiprintingsolutions.nl. (Cela ne prendra que 5 minutes de votre temps).
- La période de garantie est de 3 ans et commence le jour de l'achat de l'imprimante, fax ou multifonction. Cette date doit être mentionnée sur la preuve d'achat. Cette preuve peut être une facture, un bon de livraison ou un accord d'achat, prévu d'une date de livraison et références du fournisseur. En cas d'appel pour une réparation sous garantie via notre site il faut pouvoir soumettre une preuve d'achat.
- La garantie sur site comprend l'analyse du problème et la réparation de celui-ci. L'installation et les entretiens (préventifs) ne font pas partie de cette garantie. Tout problème dû à un mauvais emploi de l'appareil et/ou tout problème dû à l'emploi de consommables non-d'origines OKI, ne tombent pas sous cette garantie.
- La garantie sur site de 3 ans comprend les frais de déplacement, la main-d'œuvre, les pièces et un appareil de remplacement en cas de réparation en atelier. Les consommables (pièces remplacées par l'utilisateur même) et les options non-d'origine OKI ne font pas partie de cette garantie.
- OKI s'engage à effectuer les réparations dans les plus bref délais. OKI est représenté sur site par un partenaire service officiel.
- Le service sur site sera effectué tous les jours ouvrables entre 8.30h et 17h, sauf samedis, dimanches et jours fériés.

B2000

20 ppm print speed
 Small size - much smaller than rivals
 OKI digital LED technology
 Fast first page out printing in 5 secs
 High print quality 1200 x 600 dpi
 Paper Input: 150 sheet tray
 Processor 266 MHz
 Std RAM 8MB (B2200)
 Std RAM 16MB (B2400 & B2400n)
 Emulations: GDI (B2200), PCL5e (B2400 & 2400n)
 OS Compatibility: Windows 2000/XP/Server 2003/
 Vista/Mac OS 8.1 or greater/Mac OS X Power PC 10.1 or greater
 Embedded barcode printing as standard (B2400 only)
 Powerful free utilities make printing easy
 Stylish design / Easy to use
 Low noise level – silent in stand by / power save
 Duty Cycle: 15000 pages/month
 Toner Cartridge 2.000 pages
 Drum Cartridge 15.000 pages



B2000	Art. No.	Enduser €
MODELS		Excl. VAT
B2200	43641705	145,00
B2400	43641805	179,00
B2400n	43641806	210,00
Recupel		0,70
SUPPLIES		
Toner cartridge B2200, B2400 (2K)	43640302	40,50
Drum cartridge B2200, B2400 (15K)	43650302	46,30

NEW
 NEW
 NEW
 NEW

NEW
 NEW



B4400-B4600

- | 26 ppm
- | Professional 1200dpi class resolution
- | OKI digital LED technology
- | 32 MB std. memory, expandable up to 288 MB
or 48 MB std. memory, expandable up to 288 MB (B4600PS/nPS)
- | Paper Input std.: 250 sheet internal tray + 1 sheet manual feeder
Paper input max: 750 + 1
- | Processor 266Mhz
- | Emulations: PCL 5e, PCL6 / IBM Proprinter / Epson FX
B4600PS and B4600nPS: also Postscript3
- | Compatible Windows 98/ 2000/2003/ Me/ XP/Vista, MAC OSX
- | Status Monitor
- | Standard Interfaces B4400/B4600/ B4600PS: Bi-directional parallel, USB 2.0
Std Interfaces B4400n/B4600n/ B4600nPS: 10/100 Ethernet, Bi-direct parallel, USB 2.0
Optional interfaces: serial
- | Toner Cartridge 3K (B4400/B4600), 7K (only B4600) - 5% density
- | Drum 25K
- | Duty cycle: 30.000/month (B4400) or 40.000/month (B4600)



B4400-B4600	Art. No.	Enduser €
MODELS		Excl. VAT
B4400	43502205	215,00
B4400n	43502206	325,00
B4600	43502105	269,00
B4600n	43502106	375,00
B4600PS	01191602	309,00
B4600nPS	01191702	429,00
OPTIONS		
2nd tray 500 sheets (B4400, B4600)	40834412	200,00
Multi feeder (B4400, B4600)	40109805	120,00
NIC (B4400, B4600)	42264115	85,00
PS (B4400, B4600)	42263919	50,00
Memory expansion, 16 MB SIMMs	42160905	90,00
Memory expansion, 32 MB SIMMs	42160906	140,00
Memory expansion, 64 MB SIMMs	42160913	135,00
Memory expansion, 128 MB SIMMs	42160917	220,00
Memory expansion, 256 MB SIMMs	42654503	390,00
Flash Simm 8 MB	42264005	90,00
Flash Simm 16 MB	42264006	150,00
RS-232C serial interface	01117701	70,00
SUPPLIES		
Toner cartridge B4400, B4600 (3K)	43502302	46,30
Toner cartridge B4600 (7K)	43502002	92,60
Drum B4400, B4600 (25K)	43501902	118,60



B6200 & B6300

B6200, 24 ppm printer for small workgroups

B6300, 34 ppm printer for mid workgroups

True 1200 x 1200 dpi resolution

128 MB std. memory, expandable to 512 MB

Emulations: - HP LaserJet PCL5e & PCL6

- Postscript Level 3

- SIDM

Paper Input: 1500 sheets max. (B6200)

Paper Input: 1800 sheets max. (B6300)

LCD 2 x 16 characters

Standard Interfaces: Bi-direc. parallel, USB 2.0, RS-232

10/100Base-TX Ethernet Interface (std. or option)

Duplex printing (std. or option)

Consumable life: 10,000 pages (5% coverage) B6200

Consumable life: 10,000 & 17,000 pages (5% coverage) B6300

Duty Cycle: 75.000 pages/month (B6200)

Duty Cycle: 150.000 pages/month (B6300)



B6000 Series	Art. No.	Enduser €
MODELS		Excl. VAT
B6200	09004082	419,00
B6200N	09004083	529,00
B6200DN	01147801	629,00
B6300	09004406	579,00
B6300N	09004085	689,00
B6300DN	01147701	789,00
OPTIONS		
Paper tray, 550 sheets A4	42588503	380,00
Hard disk	42588509	360,00
Memory expansion 64 MB	09004080	130,00
Memory expansion 512 MB	09004081	370,00
256 MB Flash DIMM	42588507	360,00
Duplex (B6200)	42588501	240,00
Duplex (B6300)	42588502	240,00
Network DIMM (B6200,B6300)	42588508	240,00
Offset Catch Tray (B6300)	42588504	380,00
SUPPLIES		
print cartridge B6200/6300 (10K)	09004078	151,80
print cartridge B6300 (17K)	09004079	189,70



B6500

- | 43 ppm printer for small workgroups
- | True 1200 x 1200 dpi resolution
- | 128 MB std. memory, expandable to 640 MB
- | 533 MHz processor
- | Emulations: - PCL5e & PCL6
- Postscript 3
- SIDM (Epson FX)
- PDF 1.3
- | Paper Input standard: 700 sheets (tray 1 = 150, tray 2 = 550)
- | Paper Input max.: 1800 sheets (with 2 additional trays of 550 sheets)
- | Standard Interfaces: Bi-direc. parallel, USB 2.0, RS-232C serial
- | 10/100Base-TX Ethernet Interface (std. or option)
- | Duplex printing (std. or option)
- | Consumable life: 13,000 pages or 22,000 pages
- | Duty Cycle: 200.000 pages/month max.



B6500	Art. No.	Enduser €
MODELS		Excl. VAT
B6500	09004454	749,00
B6500n	09004455	849,00
B6500dn	01196001	949,00
OPTIONS		
2nd and 3th paper tray	09004457	299,00
Duplex unit	09004458	199,00
Offset catch tray	09004583	299,00
Hard disk 60 GB	09004630	249,00
Hard disk 120 GB	09004631	299,00
256 MB memory	09004628	165,00
512 MB memory	09004629	219,00
256 MB Flash memory	09004632	129,00
512 MB Flash memory	09004633	189,00
1 GB Flash memory	09004634	249,00
SUPPLIES		
Print cartridge B6500 (13K)	09004461	161,50
Print cartridge B6500 (22K)	09004462	208,80



B8300

45ppm A4, 20ppm A3

True 600 x 1200 dpi resolution

32 MB std. memory, expandable to 288 MB

Optional 7.5GB Hard Disk Drive

Emulations:- HP LaserJet 5 PCL5e/6 emulation

- Genuine Adobe Postscript level 3

Compatibility: W9x, ME, XP, NT 4, 2000, Mac OS8 and above

Processor 200 Mhz, 64bit RISC

Centronics bi-directional parallel interface

USB and 10/100BaseTX standaard

Paper Input: - 500 sheet A4 internal tray + one of : 500 sheet

multipurpose tray, 500+2000 sheet high capacity tray or 3 x 500 sheet tray

- Duplex or duplex unit with bypass for special media

- Finishing options : Finisher/Mailbin Finish./Saddle Stitch Finish.

Print cartridge - 27.000 A4 pages (5% coverage)

Developer - 100.000 A4 pages (5% coverage)



B8000 Series	Art. No.	Enduser € Excl. VAT
MODELS		
Bundle1 (*)	99999980	2.510,00
Bundle2 (**)	99999981	3.330,00
Bundle3 (***)	99999982	3.330,00
OPTIONS		
Duplexer	09004006	279,00
Duplexer/Bypass	09004007	359,00
240V Accessory Power Supply	09004008	139,00
Finisher/Stacker	09004009	1.779,00
Saddle Stitch Finisher	09004010	2.779,00
Mailbox/Stacker	09004011	649,00
Hard disk drive 7,5 GB	09004014	649,00
2-Hole Punch (Europe)	09004015	589,00
2-3 Hole Punch (US)	09004016	589,00
4-Hole Punch	09004017	589,00
4-Hole Broad-Space Punch	09004018	589,00
B8300 PAPER FEED OPTIONS (BUNDLE)		
Multi-purpose A3 tray	09004005	179,00
High capacity feeder 1500 sheet	09004013	999,00
High capacity feeder 2500 sheet	09004012	999,00
SUPPLIES		
print cartridge B8300 (27K)	09004019	193,70
Developer cartridge B8300 (100K)	09004020	179,30
Single Staple Pack for finisher	09004021	35,90
Single Staple Pack for saddle stitcher	09004022	47,90



(*) Bundle 1: B8300 with multi-purpose tray (500 sheet) and power supply

(**) Bundle 2: B8300 with 3 x 500 sheet tray and power supply

(***) Bundle 3: B8300 with high capacity feeder (2500 sheet) and power supply

C3300 & C3400



Single-Pass Digital LED A4 colour laser printer

For personal use at home or in the office or small workgroup (1-4 users)

C3300n: 12 ppm in colour and 16 ppm in mono

C3400n: 16 ppm in colour and 20 ppm in mono

Processor speed: 200 MHz

Resolution: ProQ2400 Multilevel technology (1200x600 dpi)

Photo Enhance Mode to print pictures with photo-like quality on standard office paper

Printer language: GDI

Connectivity: Full-speed USB (C3300n) or High-speed USB (C3400n), 10/100 TX Ethernet

OS compatibility: Windows 98 / ME / 2000 XP Professional / XP Home, Mac OS 9, Mac OS X

Standard memory: 32 MB

Max. memory: 32 MB (C3300n) or 288 MB (C3400n)

Paper input: 250 sheets in tray + 1 sheet in multipurpose tray

Paper output: 150 sheets face-down + 1 sheets face-up

Manual duplex

C3300 & C3400 series	Art. No.	Enduser € Excl. VAT
MODELS		
C3300n GDI	01184601	420,00
C3400n GDI	01184701	480,00
OPTIONS		
64 MB (C3400, C5600, C5800)	01110301	75,00
256 MB (C3500MFP, C34/56/5800)	01110302	200,00
SUPPLIES		
Black toner (2K*)	43459340	43,40
Cyan toner (2K*)	43459339	60,70
Magenta toner (2K*)	43459338	60,70
Yellow toner (2K*)	43459337	60,70
Black drum (15K**)	43460208	34,70
Cyan drum (15K**)	43460207	34,70
Magenta drum (15K**)	43460206	34,70
Yellow drum (15K**)	43460205	34,70
Fuser C3300, C3520MFP (30K)	43377103	69,40
Fuser C3400, C3530MFP (50K)	43377003	69,40
Transfer Belt C33/34, C3500MFP (50K)	43378002	69,40

* A4 pages at 5% coverage

** A4 pages at 3 pages/job



C5600 & C5700



Single-Pass Digital LED A4 mono laser printer with professional colour capability for small workgroups (1-10 users)

20 ppm in colour and 32 ppm in mono

Processor speed: 200 MHz (C5600) or 500 MHz (C5700)

Resolution: ProQ2400 Multilevel technology (1200x600 dpi)

Photo Enhance Mode to print pictures with photo-like quality on standard office paper

Printer language C5600: GDI (Compatibility: Windows 98 / ME / 2000 / XP Pro / XP Home, Mac OS 9, Mac OS X)

Printer language C5700: PCL6 (XL 3.0), PCL5c, PS3, SIDM (IBM-PPR, EPSON-FX)

(Compatibility: Windows 98 / ME / NT4 / 2000 XP Pro / XP Home, Mac OS 9, Mac OS X)

Connectivity: High-speed USB, 10/100 TX Ethernet

Standard memory: 64 MB (C5600) or 256 MB (C5700)

Max. memory: 320 MB (C5600) or 768 MB (C5700)

Optional 40 GB hard disk drive (C5700 only)

Paper input standard: 300 sheets in tray + 100 sheet in multipurpose tray / Paper input max. 930 sheets

Paper output: 250 sheets face-down + 100 sheets face-up

Duplex standard on C5600dn and C5700dn, optional on C5600n and C5700n

C5600 & C5700 series	Art. No.	Enduser € Excl. VAT
MODELS		
C5600n GDI	01181301	540,00
C5600dn GDI	01181401	720,00
C5700n	01181501	660,00
C5700dn	01181601	840,00
OPTIONS		
64 MB (C3400, C5600, C5800)	01110301	75,00
256 MB (C3500MFP, C34/56/5800)	01110302	200,00
256 MB (C5550MFP, C5700, C5900, C8800)	01182901	200,00
512 MB (C5550MFP, C5700, C5900, C8800)	01182902	335,00
Duplex (C56/57/58/5900, C5550MFP)	43347502	265,00
2nd tray (C56/57/58/5900, C5550MFP)	43347602	265,00
40 GB hard disk (C5550MFP, C57/5900)	01184501	335,00
Cabinet (C56/57/5800, C5900n/dn/dtn)	09004436	200,00
SUPPLIES		
Black toner C56/5700 (6K*)	43324408	69,40
Cyan toner C56/5700 (2K*)	43381907	63,60
Magenta toner C56/5700 (2K*)	43381906	63,60
Yellow toner C56/5700 (2K*)	43381905	63,60
Black drum C56/5700 (20K**)	43381708	41,70
Cyan drum C56/5700 (20K**)	43381707	41,70
Magenta drum C56/5700 (20K**)	43381706	41,70
Yellow drum C56/5700 (20K**)	43381705	41,70
Fuser C56/57/58/5900, C5550MFP (60K)	43363203	69,40
Transfer Belt C56/57/58/59, C5550MFP (60K)	43363402	69,40

* A4 pages at 5% coverage

** A4 pages at 3 pages/job



C5800 & C5900



Single-Pass Digital LED colour laser printer for demanding workgroups (2-10 users) that predominantly print colour and need excellent output
26 ppm in colour and 32 ppm in mono

Processor speed: 200 MHz (C5800) or 500 MHz (C5900)

Resolution: ProQ2400 Multi-bit technology (1200x600 dpi)

Photo Enhance Mode to print pictures with photo-like quality on standard office paper

Printer language C5800: GDI (Compatibility: Windows 98 / ME / 2000 / XP Pro / XP Home, Mac OS 9, Mac OS X)

Printer language C5900: PCL6 (XL 3.0), PCL5c, PS3, SIDM (IBM-PPR, EPSON-FX)

(Compatibility: Windows 98 / ME / NT4 / 2000 XP Pro / XP Home, Mac OS 9, Mac OS X)

Connectivity: High-speed USB, 10/100 TX Ethernet

Standard memory: 64 MB (C5800) or 256 MB (C5900)

Max. memory: 320 MB (C5800) or 768 MB (C5900)

Optional 40 GB hard disk drive (C5900 only)

Paper input standard: 300 sheets in tray + 100 sheet in multipurpose tray / C5900dtn and C5900cdtn: 830 + 100

Paper input max. 930 sheets

Paper output: 250 sheets face-down + 100 sheets face-up

Duplex standard on C5800dn, C5900dn, C5900dtn and C5900cdtn / optional on C5800n and C5900n

C5800 & C5900 series	Art. No.	Enduser € Excl. VAT
MODELS		
C5800n GDI	01181701	680,00
C5800dn GDI	01181801	880,00
C5900n	01181901	950,00
C5900dn	01182001	1.150,00
C5900dtn	01182101	1.350,00
C5900cdtn	01182201	1.490,00
OPTIONS		
64 MB (C3400, C5600, C5800)	01110301	75,00
256 MB (C3500MFP, C34/56/5800)	01110302	200,00
256 MB (C5550MFP, C5700, C5900, C8800)	01182901	200,00
512 MB (C5550MFP, C5700, C5900, C8800)	01182902	335,00
Duplex (C56/57/58/5900, C5550MFP)	43347502	265,00
2nd tray (C56/57/58/5900, C5550MFP)	43347602	265,00
40 GB hard disk (C5550MFP, C57/5900)	01184501	335,00
Cabinet (C56/57/5800, C5900n/dn/dtn)	09004436	200,00
SUPPLIES		
Black toner C58/5900, C5550MFP (6K*)	43324424	69,40
Cyan toner C58/5900, C5550MFP (5K*)	43324423	127,20
Magenta toner C58/59, C5550MFP (5K*)	43324422	127,20
Yellow toner C58/59, C5550MFP (5K*)	43324421	127,20
Black drum C58/59, C5550MFP (20K**)	43381724	41,70
Cyan drum C58/59, C5550MFP (20K**)	43381723	41,70
Magenta drum C58/59, C5550MFP (20K**)	43381722	41,70
Yellow drum C58/59, C5550MFP (20K**)	43381721	41,70
Fuser C56/57/58/5900, C5550MFP (60K)	43363203	69,40
Transfer Belt C56/57/58/59, C5550MFP (60K)	43363402	69,40

* A4 pages at 5% coverage

** A4 pages at 3 pages/job



C8600



Compact Single-Pass Digital LED Colour A3 printer

Print speed **A4: 26 ppm in colour / 32 ppm in mono**

Print speed **A3: 15 in colour / 17 in mono**

Resolution: ProQ2400 Multi-bit technology (1200x600 dpi)

200 MHz processor

Photo Enhance Mode to print pictures with photo-like quality on standard office paper

Printer language: GDI (Compatibility: Windows 98 / ME / NT4 / 2000 / XP Home / XP Pro / XP Pro x64 / Server 2003 / Server 2003 x64, Mac OS 9 or greater, Mac OS X PowerPC 10.2 or greater / Mac OS X Intel 10.4.4 or greater)

Standard memory: 128 MB

Max. memory: 128 MB

Duplex: optional (C8600n) or standard (C8600dn, C8600cdtn)

Connectivity: High-speed USB, 10/100 TX Ethernet

Paper input standard (C8600n/dn): 300 sheets in tray + 100 sheet in multipurpose tray

Paper input standard (C8600cdtn): 300 (tray1) + 530 (tray2) + 100 (multipurpose)

Paper input max. 930 sheets

Paper output: 250 sheets face-down + 100 sheets face-up

Duty Cycle: 75.000 pages / Recommended monthly usage: 1.500-5.000 pages

Printer shipped with startertoners for 2000 pages at 5% coverage

C8600	Art. No.	Enduser €
MODELS		Excl. VAT
C8600n GDI	01196901	1.999,00
C8600dn GDI	01197001	2.290,00
C8600cdtn GDI	01197101	2.490,00
OPTIONS		
Duplex (C8000 series)	43226003	340,00
2nd paper tray (C8000 series)	43231803	265,00
Cabinet (C8000 series)	01200801	200,00
SUPPLIES		
Black toner C8000 series (6K*)	43487712	65,10
Cyan toner C8000 series (6K*)	43487711	137,40
Magenta toner C8000 series (6K*)	43487710	137,40
Yellow toner C8000 series (6K*)	43487709	137,40
Toner CMYK kit C8000 series (6K)	43698501	477,00
Black drum C8000 series (20K**)	43449016	41,70
Cyan drum C8000 series (20K**)	43449015	41,80
Magenta drum C8000 series (20K**)	43449014	41,80
Yellow drum C8000 series (20K**)	43449013	41,80
Fuser C8000 series (100K)	43529405	81,00
Transfer Belt C8000 series (80K)	43449705	81,00

* A4 pages at 5% coverage

** A4 pages at 3 pages/job



C8800


Compact Single-Pass Digital LED Colour A3 printer

 Print speed **A4: 26 ppm in colour / 32 ppm in mono**

 Print speed **A3: 15 in colour / 17 in mono**

Resolution: ProQ2400 Multi-bit technology (1200x600 dpi)

500 MHz processor

Photo Enhance Mode to print pictures with photo-like quality on standard office paper

Printer language: PCL/PS, Direct PDF (Compatibility: Windows 2000 / XP Home / XP Pro / XP Pro x64 / Server 2003 / Server 2003 x64 / Vista (32-bit) / Vista (64-bit) / , Mac OS X PowerPC 10.2 or greater / Mac OS X Intel 10.4.4 or greater)

Standard memory: 256 MB

Max. memory: 768 MB

Duplex: optional (C8800n) or standard (C8800dn, C8800cdtn)

Optional hard disk drive

Connectivity: High-speed USB, 10/100 TX Ethernet, parallel

Paper input standard (C8800n/dn): 300 sheets in tray + 100 sheet in multipurpose tray

Paper input standard (C8800cdtn): 300 (tray1) + 530 (tray2) + 100 (multipurpose)


Paper input max. 930 sheets

Paper output: 250 sheets face-down + 100 sheets face-up

Duty Cycle: 75.000 pages / Recommended monthly usage: 1.500-5.000 pages

Printer shipped with startertoners for 2000 pages at 5% coverage

C8800	Art. No.	Enduser €
MODELS		Excl. VAT
C8800n PCL/PS	01205301	2.199,00
C8800dn PCL/PS	01205401	2.490,00
C8800cdtn PCL/PS	01205501	2.690,00
OPTIONS		
Duplex (C8000 series)	43226003	340,00
2nd paper tray (C8000 series)	43231803	265,00
Cabinet (C8000 series)	01200801	200,00
Hard Disk Drive 40 GB (C8800)	01207701	335,00
256 MB (C5550MFP, C5700, C5900, C8800)	01182901	200,00
512 MB (C5550MFP, C5700, C5900, C8800)	01182902	335,00
SUPPLIES		
Black toner C8000 series (6K*)	43487712	65,10
Cyan toner C8000 series (6K*)	43487711	137,40
Magenta toner C8000 series (6K*)	43487710	137,40
Yellow toner C8000 series (6K*)	43487709	137,40
Toner CMYK kit C8000 series (6K)	43698501	477,00
Black drum C8000 series (20K**)	43449016	41,70
Cyan drum C8000 series (20K**)	43449015	41,80
Magenta drum C8000 series (20K**)	43449014	41,80
Yellow drum C8000 series (20K**)	43449013	41,80
Fuser C8000 series (100K)	43529405	81,00
Transfer Belt C8000 series (80K)	43449705	81,00



C9600



Single-Pass Digital LED colour A3 laser printer
A4 print speed: 36 ppm in colour and 40 ppm in mono
A3 print speed: 19 ppm in colour and 21 ppm in mono
 720 MHz processor speed
 Resolution: ProQ2400, 1200x600 dpi
 Printer language: PCL5c, PCL6, PS3, Genuine Adobe PS level 3
Compatibility: W98/98SE/ME/NT4/2000/XPP/XP/2003 Server, Mac OS 9, Mac OS X
 Connectivity: parallel, USB 2.0, 10/100 Ethernet
 Standard 256 MB RAM (C9600n) or 512 MB (C9600dn/hdn/hdtn)
 20 GB Hard Disk std on C9600hdn & C9600hdtn
 Versatile paper handling including oversize A3
 Up to 2.120 sheets paper capacity + 230 sheets Front Feeder
 High Capacity Feeder - standard on C9600hdtn
 Booklet finisher - optional
 Duplex - standard on C9600dn, C9600hdn & C9600hdtn
 Allows users to move seamlessly between mono and colour documents on a single printer
 Variety of features and functions to improve the workflow on the network

C9600 series	Art. No.	Enduser €
MODELS		Excl. VAT
C9600n	01149001	3.799,00
C9600dn	01149101	4.099,00
C9600hdn	01149201	4.299,00
C9600hdtn	01163901	4.999,00
OPTIONS		
Internal Wireless Print Server C9600	01163201	609,00
Duplex-Unit C9600	42797203	539,00
2nd tray, 530 sheets C9600/9800	42831303	659,00
High Capacity Paper Feeder C96/9800	42831503	1.819,00
128 MB memory expansion C9600	01163401	229,00
256 MB memory expansion C9600	01163402	379,00
512 MB memory expansion C9600	01163403	539,00
Hard Disk Drive C9600	01163601	539,00
Finisher 4 tray	01166701	3.039,00
Finisher 5 tray	01166801	3.039,00
Finisher Punch Unit 2 hole	42872901	459,00
Finisher Punch Unit 4 hole	42872903	459,00
Cabinet	09004256	280,00
Banner Tray	42964902	220,00
SUPPLIES		
Cyan toner C96/9800 (15K)	42918915	282,80
Magenta toner C96/9800 (15K)	42918914	282,80
Yellow toner C96/9800 (15K)	42918913	282,80
Black toner C96/9800 (15K)	42918916	130,90
Toner CMYK-Kit C96/9800 (15K)	43112702	979,10
Cyan drum C96/9800 (30K)	42918107	130,90
Magenta drum C96/9800 (30K)	42918106	130,90
Yellow drum C96/9800 (30K)	42918105	130,90
Black drum C96/9800 (30K)	42918108	130,90
Transportbelt C96/9800, 100k	42931603	130,90
Fuser C96/9800, 100k	42931703	130,90
Waste toner box, 30k	42869403	10,50
Finisher Staples, 15k	42937603	31,50

B2500MFP, B2520MFP & B2540MFP

Printing (mono) - copying (mono) - scanning (colour) -
 fax (only B2520 and B2540MFP, mono) - network scanning (B2540MFP only)
Print speed: 16 ppm
 Print resolution (true): 600 x 600 dpi
GDI (B2500MFP, B2520MFP) or PCL/PS (B2540MFP)
 Input: 250 sheets in standard tray + 1 bypass (envelopes, transparencies, ...)
 Duplex printing: manual
 Copy speed: 16 ppm
 Scan resolution (optical): 600 x 600 dpi
 33k6 fax modem (B2520MFP and B2540MFP)
 Network (only B2540MFP) - network printing, scan-to-email
 USB 2.0 slave
 B2520MFP/B2540MFP: 2x USB host (front + rear)
 B2500MFP: 1x USB host (front)
 scan/print to USB
 ADF 50 sheets (B2520MFP and B2540MFP)
 100 MHz processor
 Wireless: optional



B2500MFP



B2520MFP
B2540MFP

B2500MFP series	Art. No.	Enduser € Excl. VAT
MODELS		
B2500MFP GDI	09004377	190,00
B2520MFP GDI	09004379	270,00
B2540MFP	09004382	320,00
Reprobel rights (Belgium only)		51,99
OPTIONS		
Wireless LAN	09004390	42,00
SUPPLIES		
Print cartridge B2500MFP (2.2K)	09004447	86,80
Print cartridge B2500MFP (4K)	09004391	108,50



Front USB



B4525MFP & B4545MFP



Shown with optional 2nd papertray

Print-copy-scan-fax
20 ppm print engine
GDI printing
 33k6 fax modem
 19 cpm copy speed
 Colour scanning
 Document Management (paper port)
 2xUSB (1 rear slave + 1 front host)
 ADF 50 sheets (DUPLEX!)
 250 sheet paper tray
 Security - access codes

Print-copy-scan-fax
20 ppm print engine
PCL6/PS3 as standard
 33k6 fax modem
 19 cpm copy speed
 Colour scanning
 Document Management (paper port)
 2xUSB (1 rear slave + 1 front host)
 ADF 50 sheets (DUPLEX!)
 250 sheet paper tray
 Network Connection as standard (LAN)
 Security - access codes

B4525MFP & B4545MFP	Art. No.	Enduser €
MODELS		Excl. VAT
B4525MFP GDI	09004394	540,00
B4545MFP	09004397	710,00
Reprobel copyrights (Belgium only)		51,99
OPTIONS		
2nd paper tray, 500 sheets A4 (B4525-4545MFP)	09004404	265,00
Duplex unit (B4545MFP) (*)	09004405	400,00
Directory card	09004180	20,00
SUPPLIES		
Toner cartridge B4500MFP black (6K)	09004168	98,70
Toner cartridge B4500MFP black (12K)	09004169	174,60
Drum B4500MFP black (20K)	09004170	182,20

(*) works only if you also install 2nd paper tray (09004404)



C3520MFP & C3530MFP

C3520MFP Digital LED colour A4 multifunctional (print-scan-copy)

C3530MFP Digital LED colour A4 multifunctional (print-scan-copy-fax)

Print/copy speed C3520MFP: 12ppm in colour and 16ppm in mono

Print speed C3530MFP: 16ppm in colour and 20ppm in mono

Copy speed C3530MFP: 16ppm in colour and 19ppm in mono

ProQ2400 Multilevel technology (1200 x 600 dpi)

128 MB standard memory (2 x 64 MB)

Language: GDI (host based), Windows and Mac compatible

Hi-Speed USB

10/100-TX Ethernet

Paper input: 250 sheets in tray + 1 sheet multi-purpose tray

Paper output: 150 sheets face-down + 1 sheet face-up

Processor: 200 MHz

Paper feeding: 50 sheets ADF (automatic document feeder) + Flatbed

Scan resolution: up to 4800 dpi

Scan speed: up to 20 ppm

Scan to: network, USB stick, Email, TWAIN

Fax: only C3530MFP

Copy resolution: 600 x 600 dpi

Copy reduction/enlargement: 25% to 400%



C3500MFP series	Art. No.	Enduser €
MODELS		Excl. VAT
C3520MFP GDI	01193001	760,00
C3530MFP GDI	01193101	960,00
Reprobel copyrights (Belgium only)		51,99
OPTIONS		
256 MB (C3500MFP, C34/56/5800)	01110302	200,00
SUPPLIES		
Black toner C3500MFP (2.5K)	43459324	34,70
Cyan toner C3500MFP (2K)	43459323	52,10
Magenta toner C3500MFP (2K)	43459322	52,10
Yellow toner C3500MFP (2K)	43459321	52,10
Black drum C3500MFP (15K)	43460224	34,70
Cyan drum C3500MFP (15K)	43460223	34,70
Magenta drum C3500MFP (15K)	43460222	34,70
Yellow drum C3500MFP (15K)	43460221	34,70
Fuser C3300, C3520MFP (30K)	43377103	69,40
Fuser C3400, C3530MFP (50K)	43377003	69,40
Transfer Belt C33/34, C3500MFP (50K)	43378002	69,40



C5550MFP

C5550MFP Digital LED colour A4 multifunctional (print-scan-copy-fax) at 20 ppm in colour and 32 ppm in mono

Print/copy speed: 20 ppm in colour and 32 ppm in mono

ProQ2400 (1200 x 600 dpi)

Language: PCL/PS

Processor: 500 MHz

256 MB memory

USB 2.0 (High-speed)

10/100 Ethernet

Paper input (standard): 300 sheets in tray + 100 sheets in multipurpose tray

Paper input (max): 930 sheets (with optional 2nd tray of 530 sheets)

Paper feeding: 50 sheets ADF (automatic document feeder) + Flatbed

Paper output: 250 sheets face down, 100 sheets face up

Duplex printing: optional

Optional 40 GB hard disk

Scan resolution: 1200 x 1200 dpi, 4800dpi interpolated

Scan speed: up to 20 ppm

Scan to: Email, FTP, CIFS and TWAIN

Copy resolution: 600 x 600 dpi

Copy reduction/enlargement: 25% to 400%

Fax modem



C5550MFP series	Art. No.	Enduser €
MODELS		Excl. VAT
C5550MFP	01192801	1.380,00
Reprobel copyrights (Belgium only)		168,96
OPTIONS		
256 MB (C5550MFP, C5700, C5900, C8800)	01182901	200,00
512 MB (C5550MFP, C5700, C5900, C8800)	01182902	335,00
40 GB hard disk (C5550MFP, C57/5900)	01184501	335,00
Cabinet C5550MFP	09004619	200,00
2nd tray C5550MFP	43347609	265,00
Duplex (C56/57/58/5900, C5550MFP)	43347502	265,00
SUPPLIES		
Black toner C58/5900, C5550MFP (6K*)	43324424	69,40
Cyan toner C58/5900, C5550MFP (5K*)	43324423	127,20
Magenta toner C58/59, C5550MFP (5K*)	43324422	127,20
Yellow toner C58/59, C5550MFP (5K*)	43324421	127,20
Black drum C58/59, C5550MFP (20K**)	43381724	41,70
Cyan drum C58/59, C5550MFP (20K**)	43381723	41,70
Magenta drum C58/59, C5550MFP (20K**)	43381722	41,70
Yellow drum C58/59, C5550MFP (20K**)	43381721	41,70
Fuser C56/57/58/5900, C5550MFP (60K)	43363203	69,40
Transfer Belt C56/57/58/59, C5550MFP (60K)	43363402	69,40



OKIFAX 4515

199 number address book
Group dial : 10 groups
Modem 33.600 bps
Memory reception (with password protection)
2MB memory (120 sheets memory reception)
LDC display: 2 lines x 16 characters
Delayed transmission
Scan speed : 6 seconds per page
Scanner: 64 grey scale CIS type
20 sheet ADF, A4, 60-90 gsm
Print speed: 10 ppm A4
Print resolution : 600 x 600 dpi
250 sheet internal tray, A4, 60-90 gsm
50 sheet output tray, A4, 60-90 gsm
Print cartridge: approx. 3.300 pages



OKIFAX 4515	Art. No.	Enduser €
MODELS		Excl. VAT
OKIFAX 4515	09004242	270,00
reprobel copyrights (Belgium only)		15,88
SUPPLIES		
Print cartridge OF4515, black (3,3K)	09004245	137,60



OKIOFFICE 86

10 one-touch-dials
 100 speed-dials
 10 groups
 Modem 33.600 bps
 Modem 64.000 bps (with ISDN option)
 8 pages per minute print speed
 Print resolution - Q600dpi
 Lifetime Warranty on LED Head
 4 MB standard memory / 320p.
 Dual Access
 100 sheet paper capacity
 Memory security by access codes
 Delayed send, Group broadcast, Sequential broadcast
 LCD Display - 2 lines x 20 characters with 5 languages
 MFP Upgrade-kit "Unimessage XL" - *printing/faxing/
 scanning/ OCR/copy functions/phonebook programming via
 PC Standard!*



OKIOFFICE 86	Art. No.	Enduser €
MODELS		Excl. VAT
OKIOFFICE 86 (Belgium)	01104509	430,00
OKIOFFICE 86 (Holland)	01104506	430,00
reprobel copyrights (Belgium only)		15,88
SUPPLIES		
Toner cartridge OOF86, black (1,8K)	00079801	25,60
Drum OOF86 (10K)	40709902	117,00



OKIFAX 5680



40 one touch-dials and 150 speed-dials
 20 groups
 Modem 33.600 bps standard
 Modem 64.000 bps/G4 (option)
 8 pages per minute print speed
 Print resolution - Q300dpi
 Lifetime Warranty on LED Head
 2,5 MB standard memory (200 p.)
 Memory expansion up to 8MB (840p.)
 Dual Access
 250 sheet paper capacity
 500 sheet optional papertray
 Memory security by access codes
 Delayed send, Group broadcast, Sequential broadcast
 Optional MFP Upgrade-kit "Unimessage XL" - *printing/faxing/
 scanning/OCR/copy functions/phonebook programming via PC*
 Optional Network Connectivity ITU T37

OKIFAX 5680	Art. No.	Enduser € Excl. VAT
MODELS		
OKIFAX 5680 (Belgium)	01118509	810,00
OKIFAX 5680 (Holland)	01118506	810,00
reprobel copyrights (Belgium only)		15,88
OPTIONS		
2nd paper tray	09000143	200,00
MFP Upgrade-kit "Unimessage XL"	01113401	70,00
2 MB memory expansion	40755301	40,00
4 MB memory expansion	40755311	50,00
8 MB memory expansion	40755321	80,00
SUPPLIES		
Toner cartridge OF5680, black (2,5K)	09002395	34,00
Drum OF5680 (20K)	09001042	257,70



Microline 280 Elite

Microline 280 Elite Parallel (3 emulations std.)
 Microline 280 Elite Serial (3 emulations std.)
 Microline 280 Elite Parallel - DC (3 emulations std.)
 Number of pins: 9
 Compact 80 column dot-matrix printer
 Original + 3 copies
 Suitable for integration with desk
 Printing speed in:
 - High speed draft: 300 cps (12 cpi)
 - Data quality: 200 cps (12 cpi)
 - NLQ: 50 cps (12 cpi)
 Emulations: - Epson FX
 - IBM Graphics
 - OKI ML-standard
 Graphic resolution: 240 x 144 dpi (max.)
 Fonts: NLQ Courier, Utility, HS Draft
 Character pitch: 10, 12 and 17 cpi
 Pin-feed rear
 Half-automatic feeding of single sheets
 Continuous forms, width: 241-254 mm incl. pinfeed
 Single sheets: A4, 216 x 279 or 216 x 305 mm.
 Interfaces: USB, parallel, serial or current loop



MICROLINE 280 ELITE SERIES	Art. No.	Enduser €
MODELS		Excl. VAT
Microline 280 Elite Parallel	01138602	360,00
Microline 280 Elite Serial	01138606	460,00
Microline 280 Elite Parallel - DC	01138610	590,00
Microline 280 Elite Serial - DC	01138615	690,00
OPTIONS		
RS-232C serial interface	09002353	100,00
RS-422A serial interface	09002357	150,00
Current loop interface	09000685	90,00
Pull-tractorfeed	09002363	40,00
Roll-paper stand	09002334	60,00
SUPPLIES		
Ribbon cartridge RC 100, black	09002303	9,60



Microline 320 & 321 Elite

Number of pins: 9

Compact 80 column dot-matrix printer

Compact 136 column dot-matrix printer (ML321)

Original + 4 copies

Printing speed in:

- High speed draft: 360 cps (12 cpi)

- Data quality: 300 cps (12 cpi)

- NLQ: 63 cps (12 cpi)

Emulations: - IBM Proprinter and Epson FX

- OKI ML-standard

Graphic resolution: 240 x 216 dpi (max.)

Fonts: Courier, Gothic, Sans Serif, Utility

Font pitch: 10, 12, 15, 17 and 20 cpi

Push-tractor rear-feed

Paper park feature

Easy tear-off without paper waste

Semi-automatic feeding of single sheets

Continuous forms, width: ML320: 63,5-254, ML321: 63,5-406 mm

Continuous envelopes: ML320: 165x91, ML321: 239x102 mm

Interfaces: parallel (std.), serial or current loop



MICROLINE 320 / 321 ELITE	Art. No.	Enduser €
MODELS		Excl. VAT
Microline 320 Elite, IBM/Epson comp.	00034454	720,00
Microline 320 Elite, Microline Std. comp.	00034455	720,00
Microline 321 Elite, IBM/Epson comp.	00034753	950,00
Microline 321 Elite, Microline Std. comp.	00034754	950,00
OPTIONS common		
RS-232C serial interface	09002351	90,00
RS-422A serial interface	09002356	150,00
Current loop interface	09000684	150,00
OPTIONS ML 320 Elite		
Pull-tractorfeed ML320	09002375	50,00
Automatic sheet feeder, double bin ML320	09000701	480,00
OPTIONS ML 321 Elite		
Pull-tractorfeed ML321	09002376	110,00
Automatic sheet feeder, single bin ML321	40060301	240,00
Automatic sheet feeder, double bin ML321	09000704	590,00
SUPPLIES		
Ribbon cartridge RC 100, black	09002303	9,60



Microline 320 Flatbed

Number of pins: 9

Compact 80 column dot-matrix printer

Original + 5 copies

Printing speed in:

- High speed draft: 300 cps (12 cpi)
- Data quality: 250 cps (12 cpi)
- NLO: 62,5 cps (12 cpi)

Emulations: IBM Proprinter and Epson FX

Graphic resolution: 240 x 216 dpi (max.)

Fonts: NLO Courier, Sans Serif, Utility, HS Draft

Character pitch: 5, 10, 12, 15, 17 and 20 cpi

Front tractor: for continuous forms

Manual feed front: horizontal feeding of all media, exit to front or rear selectable

Automatic top-feed: with optional cut sheetfeeder

Continuous forms, width: 76-305 mm

Single sheets, width: 90-304,8 mm

Envelopes: max. 104 x 241 mm

Paperweight: 45-120 g/m²

Light card stock: 45-190 g/m²

Interfaces: parallel (std.) or serial



MICROLINE 320 FLATBED	Art. No.	Enduser €
MODELS		Excl. VAT
Microline 320 Flatbed, IBM/Epson comp.	00034519	980,00
OPTIONS		
RS-232C serial interface	09002351	90,00
Automatic sheet feeder, single bin	09000702	300,00
SUPPLIES		
Ribbon cartridge RC 320FB/390FB, black	09002310	14,30



Microline 3320 & 3321

Number of pins: 9

Compact 80 column dot-matrix printer

Compact 136 column dot-matrix printer (ML3321)

Original + 4 copies

Printing speed in:

- High speed draft: 435 cps (12 cpi)
- Data quality: 387 cps (12 cpi)
- NLQ: 73 cps (12 cpi)

Emulations: IBM Proprinter, Epson FX and Microline std.

Graphic resolution: 240 x 216 dpi (max.)

Fonts: Courier, Gothic, Sans Serif, Utility

Character pitch: 10, 12, 15, 17 and 20 cpi

Barcodes: Code 39, UPC-A, UPC-E, EAN 8,

EAN 13, Interleaved 2 of 5, ZIP, Code 128

Push-tractor rear-feed

Paper park feature / Easy tear-off without paper waste

Semi-automatic feeding of single sheets

Continuous forms, width: ML3320: 63,5-254, ML3321: 63,5-406 mm

Continuous envelopes: ML3320: 165x91, ML3321: 239x102 mm

Interfaces: parallel + USB (std.), serial or current loop



MICROLINE 3320 / 3321	Art. No.	Enduser € Excl. VAT
MODELS		
Microline 3320, parallel + USB	01091111	630,00
Microline 3321, parallel + USB	01091210	820,00
OPTIONS common		
RS-232C serial interface	09002351	90,00
RS-422A serial interface	09002356	150,00
Current loop interface	09000684	150,00
Okilan 7120e networkcard	01144601	210,00
OPTIONS ML 3320		
Pull-tractorfeed	09002365	40,00
Roll-paper stand	09002332	70,00
Bottom-push tractor feed incl. stand	09002366	80,00
Automatic sheet feeder, single bin	09000691	220,00
Automatic sheet feeder, double bin	09000692	480,00
OPTIONS ML 3321		
Pull-tractorfeed	09002369	100,00
Bottom-push tractor feed incl. stand	09002370	140,00
Automatic sheet feeder, single bin	09000695	250,00
Automatic sheet feeder, double bin	09000696	590,00
SUPPLIES		
Ribbon cartridge RC 100, black	09002303	9,60



Microline 5520 & 5521

Number of pins: 9

Compact 80 column dot-matrix printer

Compact 136 column dot-matrix printer (ML5521)

Original + 5 copies = 6 multi-part forms

Printing speed in:

- Super speed: 570 cps (12 cpi)
- High speed draft: 507 cps (10 cpi)
- Utility: 380 cps (10 cpi)
- NLQ: 95 cps (10 cpi)

Emulations: IBM Proprinter, Epson FX and Microline std.

Graphic resolution: 240 x 216 dpi (max.)

Fonts: Courier, Gothic, Utility, OCR-B, Draft

Character pitch: 10, 12, 15, 17, 20 cpi pitch & proportional

Barcodes: Code 39, UPC-A, UPC-E, EAN 8,

EAN 13, Interleaved 2 of 5, ZIP, Code 128

Push-tractor rear-feed std.

Paper park feature / Easy tear-off without paper waste

First printable line: 0,5 mm (form top of page)

Semi-automatic feeding of single sheets

Continuous forms, width: ML5520: 76-254, ML5521: 76-406 mm

Continuous envelopes: ML5520: 165x92, ML5521: 241x105 mm

Interfaces: parallel + USB1.1 (std.)

Optional: Serial RS 232C/RS422/Current loop



MICROLINE 5520 / 5521	Art. No.	Enduser €
MODELS		Excl. VAT
Microline 5520, parallel + USB	01124502	650,00
Microline 5521, parallel + USB	01124602	750,00
OPTIONS common		
RS-232C serial interface	09002351	90,00
RS-422A serial interface	09002356	150,00
Current loop interface	09000684	150,00
Okilan 7120e networkcard	01144601	210,00
OPTIONS ML 5520		
Pull-tractorfeed	09002365	40,00
Roll-paper stand	09002332	70,00
Bottom-push tractor feed incl. stand	09002366	80,00
Automatic sheet feeder, single bin	09000691	220,00
Automatic sheet feeder, double bin	09000692	480,00
OPTIONS ML 5521		
Pull-tractorfeed	09002369	100,00
Bottom-push tractor feed incl. stand	09002370	140,00
Automatic sheet feeder, single bin	09000695	250,00
Automatic sheet feeder, double bin	09000696	590,00
SUPPLIES		
Ribbon cartridge ML5500, black	01126301	16,90

Microline 3410

Number of pins: 9
 136 column dot-matrix printer
 Original + 7 copies
 Printing speed in:
 - High speed draft: 550 cps (10 cpi)
 - Data quality: 417 cps (10 cpi)
 - NLO: 104 cps (10 cpi)
 Emulations: - IBM Proprinter XL-III + AGM and Epson FX
 - OKI ML-standard
 Graphic resolution: 288 x 144 dpi (max.)
 Fonts: Courier, Gothic, Utility, Draft, HS Draft
 Character pitch: 10, 12, 15, 17 and 20 cpi
 Barcodes: Code 39, UPC-A, UPC-E, EAN 8, EAN-13,
 Interleaved 2 of 5, Code 128
 Push-tractor rear-feed
 Paper park feature / Easy tear-off without paper waste
 Semi-automatic feeding of single sheets
 Continuous forms, width: 76-406 mm
 Continuous envelopes: 239x102 mm
 Interfaces: std. centronics parallel and RS-232C serial



MICROLINE 3410	Art. No.	Enduser €
MODELS		Excl. VAT
Microline 3410, IBM/Epson compatibel, parallel/serial	00035219	1.700,00
Microline 3410, Microline Standard compatibel, parallel/serial	09800146	1.700,00
OPTIONS		
Power-tractor (bottom-push-tr, motor driven)	09002373	450,00
Pull-tractorfeed	09002377	140,00
Automatic sheet feeder, double bin	09000706	680,00
SUPPLIES		
Ribbon cartridge RC 3410, black	09002308	44,00



Microline 4410

Number of pins: 2 x 9 pin printhead

136 column dot-matrix printer

Original + 9 copies

Printing speed in:

- High speed draft: 1066 cps (10 cpi)

- Data quality: 800 cps (10 cpi)

- NLO: 200 cps (10 cpi)

Emulations: IBM Proprinter XL, Epson FX and

OKI ML-standard

Graphic resolution: 288 x 144 dpi (max.)

Fonts: NLO Courier, NLO Gothic, Utility, High Speed Draft

Character pitch: 10, 12, 15, 17 and 20 cpi; NLO and Utility
fonts scaleable to 216 pt. max.

Barcodes: Code 39, UPC-A, UPC-E, EAN 8, EAN-13,

Interleaved 2 of 5, Code 128, Postnet

Front- and rearfeed: software selectable; for specific
applications, heavy media, light cardstock and labels

Paper park feature / Easy tear-off without paper waste

Continuous forms, width: 76-406 mm

Continuous envelopes: 239x102 mm

Interfaces: std. centronics parallel and RS-232C serial

Novell Netware Certified, Microsoft Plug & Play



MICROLINE 4410	Art. No.	Enduser €
MODELS		Excl. VAT
Microline 4410, IBM / Epson / Microline compatibel, parallel/serial	00111602	3.260,00
OPTIONS		
Cabinet	09002725	590,00
SUPPLIES		
Ribbon cartridge RC 4410, black	40629303	49,40



Microline 390 Flatbed

Number of pins: 24

Compact 80 column dot-matrix printer

Original + 4 copies

Printing speed in:

- High speed draft: 270 cps (12 cpi)

- LQ: 90 cps (12 cpi)

Emulations: Epson LQ and IBM Proprinter

X24E/X24E AGM

Graphic resolution: 360 x 360 dpi (max.)

Fonts: Courier, Roman, Swiss, Prestige Elite,

Swiss Bold, Utility, Gothic

Character pitch: 10, 12, 15, 17 and 20 cpi

Front tractor: for continuous forms

Manual feed front: horizontal feeding of all media,
exit to front or rear selectable

Automatic top-feed: with optional cut sheetfeeder

Continuous forms, width: 76-305 mm

Single sheets, width: 90-304,8 mm

Envelopes: max. 104 x 241 mm

Paperweight: 45-120 g/m²

Light card stock: 45-190 g/m²

Interfaces: parallel or serial



MICROLINE 390 FLATBED	Art. No.	Enduser €
MODELS		Excl. VAT
Microline 390 Flatbed, IBM/Epson compatibel, parallel	00035619	1.090,00
Microline 390 Flatbed, IBM/Epson compatibel, serial	09800139	1.200,00
OPTIONS		
RS-232C serial interface	09002347	90,00
Automatic sheet feeder, single bin	09000702	300,00
Fontcard OCR-A	09001104	110,00
Fontcard OCR-B	09001107	110,00
Fontcard East Europe	09001079	110,00
SUPPLIES		
Ribbon cartridge RC 320FB/390FB, black	09002310	14,30



Microline 3390 & 3391

Number of pins: 24

Compact 80 column dot-matrix printer

Compact 136 column dot-matrix printer (ML3391)

Original + 3 copies

Printing speed in:

- High speed draft: 390 cps (12 cpi)

- LQ: 104 cps (12 cpi)

Emulations: Epson LQ, Esc/P2, IBM Proprinter X24/XL24

Graphic resolution: 360 x 360 dpi (max.)

Fonts: Courier, Roman, Swiss, Swiss Bold, Orator,

Prestige, Gothic, Utility

Character pitch: 10, 12, 15, 17 and 20 cpi

Barcodes: Code 39, UPC-A, UPC-E, EAN 8,

EAN 13, Interleaved 2 of 5, ZIP, Code 128

Push-tractor rear-feed

Paper park feature / Easy tear-off without paper waste

Semi-automatic feeding of single sheets

Continuous forms, width: ML3390: 63,5-254, ML3391: 63,5-406 mm

Continuous envelopes: ML3390: 165x91, ML3391: 239x102 mm

Interfaces: parallel + USB (std.), serial or current loop



MICROLINE 3390 / 3391	Art. No.	Enduser €
MODELS		Excl. VAT
Microline 3390, parallel + USB	01091310	490,00
Microline 3391, IBM/Epson/ML compatibel	01091410	630,00
OPTIONS common		
RS-232C serial interface	09002351	90,00
RS-422A serial interface	09002356	150,00
Current loop interface	09000684	150,00
Okilan 7120e networkcard	01144601	210,00
OPTIONS ML 3390		
Pull-tractorfeed	09002365	40,00
Roll-paper stand	09002332	70,00
Bottom-push tractor feed incl. stand	09002366	80,00
Automatic sheet feeder, single bin	09000691	220,00
Automatic sheet feeder, double bin	09000692	480,00
OPTIONS ML 3391		
Pull-tractorfeed	09002369	100,00
Bottom-push tractor feed incl. stand	09002370	140,00
Automatic sheet feeder, single bin	09000695	250,00
Automatic sheet feeder, double bin	09000696	590,00
SUPPLIES		
Ribbon cartridge RC300, black	09002309	13,10



Microline 5590 & 5591

Number of pins: 24

Compact 80 column dot-matrix printer

Compact 136 column dot-matrix printer (ML5591)

Original + 4 copies = 5 multi-part forms

Printing speed in:

- Super speed: 420 cps (12 cpi)
- LQ (12cpi & 10cpi): 126 cps & 105 cps
- Utility (12cpi & 10cpi): 378 cps & 315 cps
- Fastest print speed: 473 cps

Emulations: Epson LQ, IBM PPR X24E/X24E AGM, Oki Microline

Graphic resolution: 360 x 360 dpi (max.)

Fonts: Utility, Courier, Roman, Swiss, Swiss Bold

Orator, Gothic, Prestige, OCR-A, OCR-B

Character pitch: 10, 12, 15, 17, 20 cpi pitch & proportional

Barcodes: Code 39, UPC-A, UPC-E, EAN 8,

EAN 13, Interleaved 2 of 5, ZIP, Code 128

Push-tractor rear-feed / Paper park feature / Easy tear-off without paper waste

First printable line: 0,5 mm (from top of page)

Semi-automatic feeding of single sheets

Continuous forms, width: ML5590: 76-254, ML5591: 76-406 mm

Continuous envelopes: ML5590: 165x92, ML5591: 241x105 mm

Interfaces: parallel + USB1.1 (std.)

Optional: Serial RS 232C/RS422/Current loop



MICROLINE 5590 / 5591	Art. No.	Enduser €
MODELS		Excl. VAT
Microline 5590, parallel + USB	01124702	810,00
Microline 5591, parallel + USB	01124802	910,00
OPTIONS common		
RS-232C serial interface	09002351	90,00
RS-422A serial interface	09002356	150,00
Current loop interface	09000684	150,00
Okilan 7120e networkcard	01144601	210,00
OPTIONS ML 5590		
Pull-tractorfeed	09002365	40,00
Roll-paper stand	09002332	70,00
Bottom-push tractor feed incl. stand	09002366	80,00
Automatic sheet feeder, single bin	09000691	220,00
Automatic sheet feeder, double bin	09000692	480,00
OPTIONS ML 5591		
Pull-tractorfeed	09002369	100,00
Bottom-push tractor feed incl. stand	09002370	140,00
Automatic sheet feeder, single bin	09000695	250,00
Automatic sheet feeder, double bin	09000696	590,00
SUPPLIES		
Ribbon cartridge ML5500, black	01126301	16,90

Microline 395

Number of pins: 24

136 column dot-matrix printer

Original + 3 copies

Printing speed in:

- High speed draft: 607 cps (15 cpi)
- Draft: 486 cps (12 cpi)
- NLO: 243 cps (12 cpi)
- LO: 162 cps (12 cpi)

Emulations: - Epson LQ 2550

- IBM Proprinter XL24 and AGM

Graphic resolution: 360 x 360 dpi (max.)

Fonts: Courier, Swiss, Swiss Bold, Roman, Letter Gothic, Prestige Elite, Serif, Sans Serif, Utility, Draft

Character pitch: 10, 12, 15, 17 and 20 cpi, proportional

Barcodes: Code 39, UPC-A, UPC-E, EAN 8, EAN-13,

Interleaved 2 of 5, Code 128

Push-tractor rear-feed

Paper park feature / Easy tear-off without paper waste

Semi-automatic feeding of single sheets

Continuous forms, width: 76-406 mm

Continuous envelopes: 239x102 mm

Interfaces: std. centronics parallel and RS-232C serial



MICROLINE 395 / 395C	Art. No.	Enduser € Excl. VAT
MODELS		
Microline 395, IBM/Epson compatibel, parallel/serial	00035719	1.650,00
Microline 395C, IBM/Epson compatibel, parallel/serial	00035819	1.940,00
OPTIONS		
Power-tractor (bottom-push-tr, motor driven)	09002378	450,00
Pull-tractorfeed	09002377	140,00
Automatic sheet feeder, double bin	09000706	680,00
Fontcard OCR-A	09001105	110,00
Fontcard OCR-B	09001108	110,00
Fontcard East Europe	09001080	110,00
SUPPLIES		
Ribbon cartridge RC 393/395B, black	09002311	38,50
Ribbon cartridge RC 393/395C, colour	09002312	52,00



Microline 6300 Flatbed

Number of pins: 24
Original + 5 copies
Printing speed:
- High speed draft: 400 cps
- Utility: 300 cps (10 cpi)
- Letter quality: 100 cps (10 cpi)
Carriage width (10 cpi): 106 columns
Max. in compressed mode: 212 columns
Character pitch: 5/6/6.7/7.5/8.5/10/12/13.8/15/17.1/20 pitch & proportional
Graphics resolution: Up to 360 x 360 dpi
Typeface & Font: Courier, Roman, Swiss, Prestige, Gothic, Orator, Swiss Bold,
OCR-A, OCR-B, Utility, HSD & Barcodes
Printer emulations: Epson LQ, IBM Proprinter or IBM Proprinter AGM
Standard interfaces: Centronics Parallel, USB
Paper handling: Paper parking, Low tear-off, Push tractors, Paper end detection, Autoload single sheet
Continuous paper: 76.2 - 304.8mm



MICROLINE 6300 FLATBED	Art. No.	Enduser € Excl. VAT
MODELS		
Microline 6300 Flatbed	01187601	1.200,00
OPTIONS		
RS-232C serial interface	09002351	90,00
Okilan 7120e networkcard	01144601	210,00
SUPPLIES		
Ribbon cartridge 4M	43503601	17,10



OKI

PRINTERS

&

FAX

3

years

WARRANTY

ON SITE

www.oki.be

www.oki.nl



OKI Printing Solutions (Belgium) - Schaarbeeklei 49-51 - B1800 Vilvoorde -
Tel +32 (0)2-2574620 - Fax +32 (0)2-2531848 - www.oki.be

OKI Printing Solutions (Holland) - Neptunusstraat 27-29 - 2132 JA Hoofddorp -
Tel +31 (0)23-5563740 - Fax +31 (0)23-5563750 - www.oki.nl